

The difference between Web user interface and CS Maintenance Tool

(KX-UDS/UDT series)

No. 41-012

August 21 , 2012

Ver.1.0

Panasonic Corporation

Abstract about this document

This document describes about the difference between Web user interface and CS Maintenance Tool.

Revision history

Date	Version	Revision	Firmware version
Aug 21, 2012	Ver. 1.0	Initial Release	All versions

The difference between Web user interface and CS Maintenance Tool

Function		Web user interface	CS Maintenance Tool
Multi language support		When Login by ADMIN authority : US English only When login by USER authority*1 : 8 languages *1: for limited screens	When Login by ADMIN authority : US English (Default) + additional languages available (XML) *Additional language xml files may be found at the Panasonic's website.
CS registration		Yes	No
Tree survey	Maximum number of CS	9	32
	Layer of tree	8 layers	8 layers
	Result display	Available	Available
	Tree image display *Color display only immediately after Tree survey	By text No information of neighboring CS	By illustration Neighboring CS information by color
	Reflect results to each CS	Yes	Yes
	Manual tree structuring	Yes	Yes
CS status display while in actual operation	Result list	Yes	Yes
	Tree image display	By text Monitor status (RSSI/Error rate/ LAN connection) in color	By illustration Monitor status (RSSI/Error rate/LAN connection) in color
Logging function	Error detection log	Yes	Yes
	Communication interrupt log	No	Yes